SAFETY DATA SHEET

Issuing Date 05-Nov-2020 Revision Date- NA Revision Number N/A

NGHS / English

Product Identifier: Hand Sanitizer

SAM #: 49435 / 49431 /49428

Issue Date: Nov 05, 2020

Recommended Use: Personal Care Hygiene

Manufacturer's:- Apollo Health and Beauty Care Inc.
Name & Address: 1 Apollo Place, Toronto, Ontario,

Canada M3J 0H2

Telephone No.: (416) 758-3700 Fax: (416) 758-3701

Website: www.apollocorp.com



1. IDENTIFICATION

Product identifier

Product Name Sanitizing Gel (Moisturizing Formula with Vit E)

Other means of identification

Product Code(s) SAM 49435 / 49431 /49428

Recommended use of the chemical and restrictions on use

Recommended Use Hand sanitizer

Restrictions on use This is a personal care or cosmetic product that is safe for consumers and other users

under normal and reasonably foreseeable use. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees

and other users of this product.

Details of the supplier of the safety data sheet

Supplier Identification APOLLO HEALTH AND BEAUTY CARE.

Address 1 APOLLO PLACE

TORONTO Ontario M3J 0H2 Canada

Telephone Phone:416 758 3700

Fax:416 758 3701

E-mail dsanderson@apollocorp.com

Emergency telephone number

Company Emergency Phone Number +1-416-758-3700

2. HAZARDS IDENTIFICATION

Classification

Flammable Liquids	Category 3
Eye irritation	Category 2A

Appearance: Clear Physical state: Liquid Odor: Alcohol

GHS Label elements, including precautionary statements

Warning

Hazard statements

Flammable Liquid and vapor



Signal Word: Warning

Hazard statement(s)

H225 Highly flammable liquid and vapor.

H315 + H320 Causes skin and eye irritation

H335 + H336 May cause respiratory irritation. May cause drowsiness or dizziness.

H401 Toxic to aquatic life.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary Statements - Prevention

P 210- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P261- Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P233- Keep container tightly closed

P241- Use explosion-proof electrical/ ventilating/ lighting/ equipment

P242- Use only non-sparking tools

P243- Take precautionary measures against static discharge

P264- Wash skin thoroughly after handling. P280- Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

Eyes

P305 + P351 + P338- Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313- If eye irritation persists: Get medical advice/attention

Skii

P303 + P361 + P353- Take off immediately all contaminated clothing. Rinse skin with water/shower.

Fire

P370 + P378- In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Precautionary Statements - Storage

P403 + P235- Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

P501-Dispose of contents/container to an approved waste disposal plant

Other information

Toxic to aquatic life with long lasting effects.

Unknown acute toxicity 60-70% % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

60-70% of the mixture consists of ingredient(s) of unknown acute dermal toxicity

60-70% of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

60-70% of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

1.7 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
		Active Ingredients		
Ethyl Alcohol (USP)	64-17-5	1	-	-
		Inactive Ingredients		
PEG-6	2615-15-8	4	-	-
AMP- Acrylates/Vinyl Isodecanoate Crosspolymer		5	•	-
Isopropyl Alcohol	67-63-0	7		
Glycerin	56-81-5	7		
Isopropyl Myristate	110-27-0	7		
Tocopheryl Acetate	7695-91-2	7		

Range code- 1- 30-100%, 2- 10-30%, 3- 3-10%, 4- 1-3%, 5- 0.3-1%, 6- 0.1-0.3%, 7- 0-0.1%.

4. FIRST AID MEASURES

Description of first aid measures

General advice In the case of accident or if you feel unwell, seek medical advice immediately.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water for at least 15 minutes. If symptoms persist, call a

physician. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub

affected area.

Skin contact If symptoms persist, call a physician. Wash off immediately with plenty of water for at least

15 minutes.

Ingestion If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention..

Self-protection of the first aider Remove all sources of ignition. First aid responders should pay attention to self-protection

and use the recommended protective clothing.

Most important symptoms and effects, both acute and delayed

Symptoms No information available

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Conditions of flammability Flammable in the presence of a source of ignition when the temperature is above the flash

point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media High volume water jet that creates high pressure water streams.

Specific hazards arising from the

chemical

Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge Yes.

Special protective equipment for fire- In the event of fire, wear self-contained breathing apparatus. fighters

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other Information Ventilate the area.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing

vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with

sprinklers. Use according to package label instructions.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm 10% LEL
64-17-5		TWA: 1900 mg/m3	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m3	-

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protectionNo special measures necessary provided the product is used correctly.

Skin and body protectionNo special measures necessary provided the product is used correctly.

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with eyes.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateLiquidAppearanceClearOdorAlcoholColorClear

Odor Threshold Approximately 0.1 to 5100 ppm for ethyl alcohol as reported in appendix 1 of the Canadian

Standards Association guide Z94.4-M1982.

Property	Values	Remarks Method	
pH	6-8		
Melting / freezing point	Approx. minus 100 deg. C	None known	
Boiling point / boiling range	Approximately 78 to 83 deg. C	None known	
Flash Point	24°C		
Evaporation Rate	3.6 (butyl acetate = 1)	None known	
Upper flammability limit	19 % V/V for 100% Ethanol		
Lower flammability limit	3.3% V/V for 100% Ethanol		
Vapor pressure	5.87 KPA @ 20 C, for 100% Ethanol	None known	
Vapor density	1.61 (air=1)	None known	
Relative density	0.7882 @ 20°C		
Specific Gravity	0.89-0.95		
Water Solubility	Miscible in water		
Solubility(ies)	No data available	None known	
Viscosity	15000-35000 cps	LVT Spindle 4 @ 6 rpm @ 25 °C	
Partition coefficient: n-octanol/wat	erNot applicable		
Autoignition temperature	Approx. 370 deg. C	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	3500 - 23000 mm2/s (20 °C)	None known	
Dynamic viscosity	No data available	None known	
Chemical Formula Ethanol: C ₂ -H ₅ -OH Molecular weight:	46.07		
Isopropyl Alcohol: CH3-CHOH-CH3			
Water : H ₂ O Molecular weight:18.0	Wolecular weight. 00.9		
PEG-6 : C ₁₂ H ₂₆ O ₇ Avg Mol wt: 8000			
Other Information			
Explosive properties	No information available		
Oxidizing properties	The substance or mixture is not class	ified as oxidizing.	
Softening Point	No information available		
VOC Content (%)	No information available		
Liquid Density	No information available		
Bulk Density	No information available		
Particle Size	No information available		
Particle Size Distribution	No information available		
	10. STABILITY AND REA	CTIVITY	

Reactivity Not classified as a reactivity hazard...

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions Vapors may form explosive mixture with air.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition..

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents, Acid Anhydrides, Acid Chlorides,

Peroxides, Alkali metals.

Hazardous Decomposition Products Carbon oxides, Carbon Monoxide (CO)...

11. TOXICOLOGICAL INFORMATION

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation

(based on components). Irritating to eyes.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation (based

on components). Repeated exposure may cause skin dryness or cracking.

Ingestion Specific test data for the substance or mixture is not available..

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 11,044.60 mg/kg ATEmix (inhalation-dust/mist) 191.80 mg/L

Unknown acute toxicity

60-70% of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

60-70% of the mixture consists of ingredient(s) of unknown acute dermal toxicity

60-70% of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

60-70% of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

1.7 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
-	= 3450 mg/kg (mouse)		
Iso Propyl Alcohol	= 4420 mg/kg (Rat)		> 10000 ppm

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation Severe eye irritant.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed

as an alcoholic beverage.

The table below indicates whether each agency has listed any ingredient as a

carcinogen.

Chemical name NTP	CAS.No	ACGIH	IARC	NTP	OSHA	Mexico
Ethyl alcohol	64-17-5	A3	Group 1	Known	-	Not listed
64-17-5						

Leaend

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Ecotoxicity Toxic to aquatic life.

	Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water
					Flea)
	Ethyl Alcohol	-	96h LC50: > 100 mg/L	-	24h EC50: = 10800
			(Pimephales promelas)		mg/L
			96h LC50: 12.0 - 16.0 mL/L		(Daphnia magna) 48h
			(Oncorhynchus		LC50: 9268 - 14221
			mykiss) 96h LC50: 13400 - 15100 mg/L		mg/L (Daphnia magna)
			(Pimephales promelas)		48h EC50: = 2 mg/L
					(Daphnia magna)
ĺ	Isopropyl Alcohol		LC50 / 96 hours Pimephales	EC50 / 3 hours Activated	
			promelas:9,640 mg/L	sludge > 1,000 mg/L	

Persistence and Degradability No information available.

Bioaccumulation

Bloaceannaiation .	
Chemical Name	Log Pow
Ethyl Alcohol	-0.32
Isopropyl Alcohol	0.05 (Weight of evidence approach, 25 °C)

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard.

US EPA Waste Number D001

California Waste Codes 311

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous waste
Ethyl alcohol	Toxic
64-17-5	Ignitable

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name: Ethanol
UN-No UN 1170
Hazard Class: 3
Emergency Response Guide Number: 127
Packing Group: II

TDG

Proper Shipping Name: Ethanol UN 1170 Hazard Class: 3 Emergency Response Guide Number: 127 Packing Group: II

MEX

UN-No: UN1170
Proper Shipping Name: ETHANOL SOLUTION
Hazard Class: 3
Packing Group: III
Description: UN1170, ETHANOL SOLUTION, 3, III

ICAO

UN-No: UN1170
Proper Shipping Name: ETHANOL SOLUTION
Hazard Class: 3
Packing Group: III
Description: UN1170, ETHANOL SOLUTION, 3, III

<u>IATA</u>

Proper Shipping Name: Ethanol
UN-No UN 1170
Hazard Class: 3
Emergency Response Guide Number: 127
Packing Group: II

IMDG/IMO

Proper Shipping Name: Ethanol UN-No UN 1170 Hazard Class: 3 Emergency Response Guide Number: 127 Packing Group: II EmS-N° F-E, S-D

Designation UN1170, SOLUTION Ethanol, 3, II, (13 ° C C.C.)

<u>RID</u>

UN-No.: UN1170
Proper Shipping Name : ETHANOL SOLUTION
Hazard Class : 3
Packing Group : III
Classification code : F1
Description : UN1170, ETHANOL SOLUTION, 3, III
ADR/RID-Labels : 3

<u>ADR</u>

UN-No. 1170

Proper Shipping Name: ETHANOL SOLUTION

Hazard Class: 3 Packing Group: III Classification code: F1 Tunnel restriction code: (D/E)

Description: 1170, ETHANOL SOLUTION, 3, III, (D/E)

AND

UN-No: UN1170

Proper Shipping Name: ETHANOL SOLUTION

Hazard Class: 3 Packing Group: III Classification code: F1 Special Provisions: 144, 601

Description UN1170, ETHANOL SOLUTION: 3, III

Hazard Labels: 3 Limited Quantity: 5 L Ventilation: VE01

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer: Not applicable

The Stockholm Convention on Persistent Organic Pollutants: Not applicable

The Rotterdam Convention: Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status.

DSL/NDSL Complies.

EINECS/ELINCS
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.
KECL
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.
AICS
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.

<u>Legend</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Ethyl alcohol - 64-17-5	Carcinogen
	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethyl alcohol	X	X	X		X
64-17-5					

16. OTHER INFORMATION

Full text of H-phrases: see section 16:

H225	Highly flammable liquid and vapor
H319	Causes serious eye irritation
H335	May cause respiratory irritation

NFPA health hazard: 2 - Materials that, under emergency conditions, can cause temporary incapacitation NFPA: or residual injury.

NFPA fire hazard: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.

NFPA reactivity: 1 - Material that in themselves are normally stable, even under fire conditions.

HMIS Health Hazards 1, Flammability 3, Physical Hazards 0, Personal Protection X

Prepared ByDr. Winston Costa Pereira,
Regulatory Associate,

Apollo Health and Beauty Care,

1 Apollo Place, Toronto, North York, Canada.

M3J 0H2,

+1- 416-759-3700, ext-279.

Issue Date- Nov 05, 2020

Date of revision- N/A

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

** End of the Data sheet**