SAFETY DATA SHEET

Issuing Date 28-May-2020

Revision Date 28-May-2020

Revision Number 2

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Hand Sanitizer (48709)

Other means of identification

Product Code(s) 1586603

Recommended use of the chemical and restrictions on use

Recommended Use Hand sanitizer

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification APOLLO HEALTH AND BEAUTY CARE INC.

Address 1 APOLLO PLACE

TORONTO Ontario M3J 0H2 Canada

Telephone Phone:416 758 3700

Fax:416 758 3701

E-mail dsanderson@apollocorp.com

Emergency telephone number

Company Emergency Phone 416 758 3700

Number

2. HAZARDS IDENTIFICATION

Classification

Flammable liquids Category 3



Appearance Colorless Physical state Gel Liquid Odor Characteristic

GHS Label elements, including precautionary statements

Warning

Hazard statements

Flammable liquid and vapor



Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating/ lighting/ equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower **Fire**

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Toxic to aquatic life.

Unknown acute toxicity 70 % of the mixture of

70 % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

70 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

70 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

70 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

<u>Mixture</u>

(UL)

Page 2/11

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Ethyl alcohol	64-17-5	70	-	-

4. FIRST AID MEASURES

Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use

personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition.

In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. **Sensitivity to Static Discharge** Yes.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES



Page 3 / 11

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other Information Ventilate the area.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	ACGIH	TLV	OSHA PEL		NIOSH IDLH	
Ethyl alcohol	STEL: 100	0 ppm	TWA: 1000 ppm		IDLH: 3300 ppm 10% LEL	
64-17-5			TWA: 1900 mg/m ³		TWA: 1000 ppm	
			(vacated) TWA: 1000 ppm			TWA: 1900 mg/m ³
		(va	(vacated) TWA: 1900 mg/m ³			-
Chemical name	Alberta	British Colum	nbia	Ontario TWAEV		Quebec
Ethyl alcohol	TWA: 1000 ppm	STEL: 1000 p	000 ppm STEL: 1000 ppi		m	STEL: 1000 ppm



64-17-5 TWA: 1880 mg/m³

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

None known

Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Gel; Liquid
Appearance Colorless
Odor Characteristic

ColorNo information availableOdor ThresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

pH 8

Melting / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone known

Flash Point 23 C / 73 F

Evaporation Rate
No data available
None known
Flammability (solid, gas)
No data available
None known
None known
None known

Flammability Limit in Air
Upper flammability limit No data available

Lower flammability limit No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 0.88

Water Solubility
Solubility(ies)
Soluble in water
No data available

Partition coefficient: n-octanol/waterN/A

Autoignition temperature No data available None known
Decomposition temperature No data available None known
Kinematic viscosity No data available None known
Dynamic viscosity No data available None known
No data available None known



Other Information

No information available **Explosive properties** Oxidizing properties No information available **Softening Point** No information available **Molecular Weight** No information available **VOC Content (%)** No information available **Liquid Density** No information available **Bulk Density** No information available **Particle Size** No information available **Particle Size Distribution** No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks.

Incompatible materials None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Specific test data for the substance or mixture is not available. Eye contact

Skin contact Specific test data for the substance or mixture is not available.

Specific test data for the substance or mixture is not available. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

No information available. **Symptoms**

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 10,085.70 mg/kg ATEmix (inhalation-dust/mist) 178.10 mg/L

Unknown acute toxicity 70 % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity 70 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

70 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)



Page 6/11

70 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor) 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Ethyl alcohol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

No information available. Serious eye damage/eye irritation

Respiratory or skin sensitization No information available.

No information available. Germ cell mutagenicity

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol	A3	Group 1	Known	X
64-17-5		-		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

No information available. STOT - repeated exposure

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Toxic to aquatic life.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Ethyl alcohol	-	96h LC50: > 100 mg/L	EC50 = 34634 mg/L 30	24h EC50: = 10800 mg/L
		(Pimephales promelas)	min	(Daphnia magna) 48h
		96h LC50: 12.0 - 16.0	EC50 = 35470 mg/L 5	LC50: 9268 - 14221
		mL/L (Oncorhynchus	min	mg/L (Daphnia magna)
		mykiss) 96h LC50:		48h EC50: = 2 mg/L
		13400 - 15100 mg/L		(Daphnia magna)
		(Pimephales promelas)		



Page 7/11

Persistence and Degradability No information available.

Bioaccumulation

Component Information

Chemical name	Log Pow		
Ethyl alcohol	-0.32		

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused Should not be released into the environment. Dispose of in accordance with local

regulations. Dispose of waste in accordance with environmental legislation. products

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld Contaminated packaging

containers.

US EPA Waste Number D001

California Waste Codes 311

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste	
Ethyl alcohol	Toxic	
64-17-5	Ignitable	

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name CONSUMER COMMODITY

Hazard Class ORM-D

Description CONSUMER COMMODITY, ORM-D

Emergency Response Guide 127

Number

TDG

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3 **Packing Group** Ш

Description UN1170, ETHANOL SOLUTION, 3, III

MEX

UN1170 UN-No.

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3 **Packing Group**

Description UN1170, ETHANOL SOLUTION, 3, III



Page 8/11

ICAO

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3 Packing Group III

Description UN1170, ETHANOL SOLUTION, 3, III

IATA

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III
ERG Code 3L

Description UN1170, ETHANOL SOLUTION, 3, III

IMDG/IMO

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III
EmS-No. F-E, S-D

Description UN1170, ETHANOL SOLUTION, 3, III, (23°C C.C.)

RID

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III
Classification code F1

Description UN1170, ETHANOL SOLUTION, 3, III

ADR/RID-Labels 3

<u>ADR</u>

UN-No. 1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III
Classification code F1
Tunnel restriction code (D/E)

Description 1170, ETHANOL SOLUTION, 3, III, (D/E)

<u>ADN</u>

UN-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III
Classification code F1
Special Provisions 144, 601

Description UN1170, ETHANOL SOLUTION, 3, III

Hazard Labels3Limited Quantity5 LVentilationVE01

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations



Page 9/11

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA

Contact supplier for inventory compliance status.

DSL/NDSL

EINECS/ELINCS

Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65		
Ethyl alcohol - 64-17-5	Carcinogen		
	Developmental		

U.S. State Right-to-Know Regulations



.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethyl alcohol	X	X	X		X
64-17-5					

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 3 Instability 0 Physical and Chemical

Properties
Health hazards 1 Flammability 3 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 28-May-2020

Revision Date 28-May-2020

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

