


SAFETY DATA SHEET

Issuing Date June-2015

Revision Date- 10-Dec-2020

Revision Number 02

NGHS / English

<p>Product Identifier: Hand Sanitizer SAM #: 38428 Issue Date: June 2015 Recommended Use: Personal Care Hygiene Manufacturer's:- Apollo Health and Beauty Care Inc. Name & Address: 1 Apollo Place, Toronto, Ontario, Canada M3J 0H2 Telephone No.: (416) 758-3700 Fax: (416) 758-3701 Website: www.apollocorp.com</p>	
--	---

1. IDENTIFICATION

Product identifier

Product Name Aloe Hand Sanitizer

Other means of identification

Product Code(s) SAM 38428

Recommended use of the chemical and restrictions on use

Recommended Use Hand sanitizer

Restrictions on use This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product.

Details of the supplier of the safety data sheet

Supplier Identification APOLLO HEALTH AND BEAUTY CARE.

Address 1 APOLLO PLACE
TORONTO
Ontario
M3J 0H2
Canada

Telephone Phone:416 758 3700
Fax:416 758 3701

E-mail dsanderson@apollocorp.com

Emergency telephone number

Company Emergency Phone Number +1-416-758-3700

2. HAZARDS IDENTIFICATIONClassification

Flammable Liquids	Category 3
Eye irritation	Category 2A

Appearance: Clear**Physical state:** Liquid**Odor:** AlcoholGHS Label elements, including precautionary statements**Warning****Hazard statements**Flammable Liquid and vapor
Causes serious eye irritation**Signal Word:**

Warning

Appearance: Clear green**Physical State:** Gel**Odor:** Mild, Alcoholic**Hazard statement(s)**

H225 Highly flammable liquid and vapor.

H315 + H320 Causes skin and eye irritation

H335 + H336 May cause respiratory irritation. May cause drowsiness or dizziness.

H401 Toxic to aquatic life.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary Statements - Prevention

P 210- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P261- Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P233- Keep container tightly closed

P241- Use explosion-proof electrical/ ventilating/ lighting/ equipment

P242- Use only non-sparking tools

P243- Take precautionary measures against static discharge

P264- Wash skin thoroughly after handling. P280- Wear protective gloves/eye protection/face protection

Precautionary Statements - Response**Eyes**

P305 + P351 + P338- Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313- If eye irritation persists: Get medical advice/attention

Skin

P303 + P361 + P353- Take off immediately all contaminated clothing. Rinse skin with water/shower.

Fire

P370 + P378- In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Precautionary Statements - Storage

P403 + P235- Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

P501-Dispose of contents/container to an approved waste disposal plant

Other information

Toxic to aquatic life with long lasting effects.

Unknown acute toxicity 60-70% % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

60-70% of the mixture consists of ingredient(s) of unknown acute dermal toxicity

60-70% of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

60-70% of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

1.7 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Active Ingredients				
Ethyl Alcohol (USP)	64-17-5	1	-	-
Inactive Ingredients				
PEG-6	2615-15-8	4	-	-
Isopropyl Alcohol	67-63-0	7		
Glycerin	56-81-5	7		
Isopropyl Myristate	110-27-0	7		
Tocopheryl Acetate	7695-91-2	7		

Range code- 1- 30-100%, 2- 10-30%, 3- 3-10%, 4- 1-3%, 5- 0.3-1%, 6- 0.1-0.3%, 7- 0-0.1%.

4. FIRST AID MEASURES

Description of first aid measures**General advice**

In the case of accident or if you feel unwell, seek medical advice immediately.

Inhalation

Remove to fresh air. If symptoms persist, call a physician.

Eye contact

Rinse immediately with plenty of water for at least 15 minutes. If symptoms persist, call a physician. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

Skin contact

If symptoms persist, call a physician. Wash off immediately with plenty of water for at least 15 minutes.

Ingestion

If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.

Self-protection of the first aider

Remove all sources of ignition. First aid responders should pay attention to self-protection and use the recommended protective clothing.

Most important symptoms and effects, both acute and delayed

Symptoms No information available

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Conditions of flammability	Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.
Suitable Extinguishing Media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	High volume water jet that creates high pressure water streams.
Specific hazards arising from the chemical	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health.
Hazardous Combustion Products	Carbon oxides.
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	Yes.
Special protective equipment for fire-fighters	In the event of fire, wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
Other Information	Ventilate the area.

Methods and material for containment and cleaning up

Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on safe handling

Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters**Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm 10% LEL TWA: 1000 ppm TWA: 1900 mg/m ³

ACGIH TLV: American Conference of Governmental Industrial Hygienists – Threshold Limit Value. **OSHA PEL:** Occupational Safety and Health Administration – Permissible Exposure Limits. **NIOSH IDLH:** Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection No special measures necessary provided the product is used correctly.

Skin and body protection No special measures necessary provided the product is used correctly.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Gel
Appearance	Clear , green
Odor	Alcohol
Color	Green
Odor Threshold	No data available

<u>Property</u>	<u>Values</u>	<u>Remarks Method</u>
pH	6.8-7.8	pH meter
Melting / freezing point	Approx. minus 100 deg. C	None known
Boiling point / boiling range	Approximately 78 to 83 deg. C	None known
Flash Point	24°C	
Evaporation Rate	>1.7	None known
Upper flammability limit	19 % V/V for 100% Ethanol	
Lower flammability limit	3.3% V/V for 100% Ethanol	
Vapor pressure	5.87 KPA @ 20 C, for 100% Ethanol	None known
Vapor density	1.61 (air=1)	None known
Relative density	0.7882 @ 20°C	
Specific Gravity	0.89-0.95	
Water Solubility	Miscible in water	
Solubility(ies)	No data available	None known
Viscosity	10000-20000 cps	LVT Spindle 4 @ 12 rpm @ 25 °C
Partition coefficient: n-octanol/water	Not applicable	
Autoignition temperature	Approx. 370 deg. C	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	3500 - 23000 mm ² /s (20 °C)	None known
Dynamic viscosity	No data available	None known
Chemical Formula		
Ethanol: C ₂ -H ₅ -OH Molecular weight:46.07		
Isopropyl Alcohol: CH ₃ -CHOH-CH ₃ Molecular weight: 60.9		
Water: H ₂ O Molecular weight:18.0		
PEG-6: C ₁₂ H ₂₆ O ₇ Avg Mol wt: 8000		
Other Information		
Explosive properties	No information available	
Oxidizing properties	The substance or mixture is not classified as oxidizing.	
Softening Point	No information available	
VOC Content (%)	No information available	
Liquid Density	No information available	
Bulk Density	No information available	
Particle Size	No information available	
Particle Size Distribution	No information available	
10. STABILITY AND REACTIVITY		

Reactivity	Not classified as a reactivity hazard..
Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	Vapors may form explosive mixture with air.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition..
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents, Acid Anhydrides, Acid Chlorides, Peroxides, Alkali metals.
Hazardous Decomposition Products	Carbon oxides, Carbon Monoxide (CO)..

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation (based on components). Irritating to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation (based on components). Repeated exposure may cause skin dryness or cracking.
Ingestion	Specific test data for the substance or mixture is not available..

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity**Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 11,044.60 mg/kg
ATEmix (inhalation-dust/mist) 191.80 mg/L

Unknown acute toxicity

60-70% of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

60-70% of the mixture consists of ingredient(s) of unknown acute dermal toxicity

60-70% of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

60-70% of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

1.7 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol	= 7060 mg/kg (Rat) = 3450 mg/kg (mouse)	-	= 124.7 mg/L (Rat) 4 h
Iso Propyl Alcohol	= 4420 mg/kg (Rat)		> 10000 ppm

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation Severe eye irritant.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name NTP	CAS.No	ACGIH	IARC	NTP	OSHA	Mexico
Ethyl alcohol 64-17-5	64-17-5	A3	Group 1	Known	-	Not listed

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Ecotoxicity Toxic to aquatic life.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Ethyl Alcohol	-	96h LC50: > 100 mg/L (Pimephales promelas) 96h LC50: 12.0 - 16.0 mL/L (Oncorhynchus mykiss) 96h LC50: 13400 - 15100 mg/L (Pimephales promelas)	-	24h EC50: = 10800 mg/L (Daphnia magna) 48h LC50: 9268 - 14221 mg/L (Daphnia magna) 48h EC50: = 2 mg/L (Daphnia magna)
Isopropyl Alcohol		LC50 / 96 hours Pimephales promelas: 9,640 mg/L	EC50 / 3 hours Activated sludge > 1,000 mg/L	

Persistence and Degradability No information available.

Bioaccumulation

Chemical Name	Log Pow
Ethyl Alcohol	-0.32
Isopropyl Alcohol	0.05 (Weight of evidence approach, 25 °C)

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard.

US EPA Waste Number D001

California Waste Codes 311

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous waste
Ethyl alcohol 64-17-5	Toxic Ignitable

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name: Ethanol
UN-No UN 1170
Hazard Class: 3
Emergency Response Guide Number: 127
Packing Group: II

TDG

Proper Shipping Name: Ethanol
UN-No UN 1170
Hazard Class: 3
Emergency Response Guide Number: 127
Packing Group: II

MEX

UN-No : UN1170
Proper Shipping Name: ETHANOL SOLUTION
Hazard Class: 3
Packing Group: III
Description: UN1170, ETHANOL SOLUTION, 3, III

ICAO

UN-No: UN1170
Proper Shipping Name: ETHANOL SOLUTION
Hazard Class: 3
Packing Group: III
Description: UN1170, ETHANOL SOLUTION, 3, III

IATA

Proper Shipping Name: Ethanol
UN-No UN 1170
Hazard Class: 3
Emergency Response Guide Number: 127
Packing Group: II

IMDG/IMO

Proper Shipping Name: Ethanol
UN-No UN 1170
Hazard Class: 3
Emergency Response Guide Number: 127
Packing Group: II
EmS-N° F-E, S-D
Designation UN1170, SOLUTION Ethanol, 3, II, (13 ° C C.C.)

RID

UN-No.: UN1170
Proper Shipping Name : ETHANOL SOLUTION
Hazard Class : 3
Packing Group : III
Classification code : F1
Description : UN1170, ETHANOL SOLUTION, 3, III
ADR/RID-Labels : 3

ADR

UN-No. 1170

Proper Shipping Name: ETHANOL SOLUTION
Hazard Class: 3
Packing Group: III
Classification code: F1
Tunnel restriction code: (D/E)
Description: 1170, ETHANOL SOLUTION, 3, III, (D/E)

AND

UN-No : UN1170
Proper Shipping Name: ETHANOL SOLUTION
Hazard Class: 3
Packing Group: III
Classification code: F1
Special Provisions: 144, 601
Description UN1170, ETHANOL SOLUTION: 3, III
Hazard Labels: 3
Limited Quantity: 5 L
Ventilation: VE01

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture****International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer: Not applicable

The Stockholm Convention on Persistent Organic Pollutants: Not applicable

The Rotterdam Convention: Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Complies.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Ethyl alcohol - 64-17-5	Carcinogen
	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethyl alcohol 64-17-5	X	X	X		X

16. OTHER INFORMATION


Full text of H-phrases: see section 16:

H225	Highly flammable liquid and vapor
H319	Causes serious eye irritation
H335	May cause respiratory irritation

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.

NFPA reactivity : 1 - Material that in themselves are normally stable, even under fire conditions.



HMIS Health Hazards 1, Flammability 3, Physical Hazards 0, Personal Protection X

Prepared By

Dr. Winston Costa Pereira,
Regulatory Associate,
Apollo Health and Beauty Care,
1 Apollo Place, Toronto, North York, Canada.
M3J 0H2,
+1- 416-759-3700, ext-279.

Issue Date- June, 2015

Date of revision- 10-Dec, 2020

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**** End of the Data sheet****